

ICMIs 2018

The 1st International Conference on Mathematics and Islam

Proceedings

Editors:

Nina Fitriyati
Ahmad Hanif Asyhar
Elly Susanti
Juhari
Mohammad Nafie Jauhari
Moh. Hafiyusholeh

Mataram, Nusa Tenggara Barat, Indonesia

August 3rd-5th, 2018

ADMAPETA
Asosiasi Dosen Matematika dan
Pendidikan/Tadris Matematika



ICMIs 2018

Proceedings of the
1st International Conference on
Mathematics and Islam

Mataram - Indonesia

August 3 - 5, 2018

Copyright © 2019 by SCITEPRESS – Science and Technology Publications, Lda.
All rights reserved

Edited by Nina Fitriyati, Ahmad Hanif Asyhar, Elly Susanti, Juhari, Mohammad Nafie Juhari and
Moh. Hafiyusholeh

Printed in Portugal
ISBN: 978-989-758-407-7
Depósito Legal: 465131/19

<http://conferences.ad-apsmapeta.or.id>
admapeta@gmail.com

BRIEF CONTENTS

ORGANIZING COMMITTEES	IV
PROGRAM COMMITTEE	VII
FOREWORD	IX
CONTENTS	XI

ORGANIZING COMMITTEES

CONFERENCE ORGANIZING COMMITTEE

HONORARY CHAIRS

Dr. Kusaeri, M.Pd., UINSA Surabaya, Indonesia
H. Irzani, M.Si., UIN Mataram, Indonesia
Dr. Muniri, M.Pd., IAIN Tulungagung, Indonesia
Dr. Abdussakir, M.Pd., UIN Malang, Indonesia
Dr. Kadir, M.Pd., UIN Jakarta, Indonesia
Dr. Mara Samin, UIN Medan, Indonesia
Dr. Nursalam, UIN Makasar, Indonesia
Dr. Risnawati, M.Pd., UIN Suka Riau, Indonesia
Ahmad Hanif Asyhar, M.Si, UINSA Surabaya, Indonesia

GENERAL CHAIRS

Dr. Elly Susanti, M.Sc., UIN Malang, Indonesia
Dr. Muhammad Sabirin, M.Si., UIN Antasari Banjarmasin, Indonesia
Dr. Nina Fitriyati, M.Si., UIN Jakarta, Indonesia
Dr. Ibrahim, UIN Jogja, Indonesia
Dr. Zubaidah Amir, M.Si., Uin Suska Riau, Indonesia
Ari Pani Desvina, M.Sc., Uin Suska Riau, Indonesia
Dr. Elis Ratna Wulan, M.T., UIN Bandung, Indonesia

SCIENTIFIC COMMITTEE

Hasanuddin, M.Pd., UIN Suska Riau, Indonesia
Moh. Hafiyusholeh, M.Si., M.Peng., UIN Sunan Ampel, Indonesia
Juhari, M.Si., UIN Malang, Indonesia
Kamirsyah Wahyu, M.Pd., UIN Mataram, Indonesia
Hisyam Fahmi, M.Kom., UIN Malang, Indonesia

FUNDING CHAIR

Dr. Alkusaeri, M.Pd., UIN Mataram, Indonesia

PUBLICATION COMMITTEE

Analisa Fitria, M.Si., UIN Antasari Banjarmasin, Indonesia
Mulin Nu'man, M.Pd., UIN Jogja, Indonesia
Yulia, M.Pd., UIN Padang, Indonesia
Dr. Nana Sepriyanti, M.Si., UIN Padang, Indonesia
Yulia Romadiastri, M. Sc., UIN Walisongo, Indonesia
Ummu Sholihah, M.Si., IAIN Tulungagung, Indonesia
Dr. Elda Herlina, M.Pd., IAIN Batusangkar, Indonesia
Arwan M Said, S.Pd., M.Sc., IAIN Ternate, Indonesia
Aniswita, S.Pd., M.Si., IAIN Bukittinggi, Indonesia
Dra. Juariah, M.Pd., UIN Bandung, Indonesia
Khairiani, M.Sc, IAIN Lhokseumawe, Indonesia
Dr. Ahmad Nizar Rangkuti, M.Pd., IAIN Padang Sidempuan, Indonesia
Dr. M. Duskri, M.Kes., UIN Ar-Raniry, Indonesia
Fatrima Santri Syafri, M.Pd.Mat., IAIN Bengkulu, Indonesia
Rini Warti, M.Si., UIN STS Jambi, Indonesia
Dr. Hartatiana, M.Pd., UIN Palembang, Indonesia
Yani Jawa, M.Pd., Indonesia

LOCAL ORGANIZING COMMITTEE

HONORARY CHAIRS

Prof. Dr. H. Mutawali. M.Ag., Rektor UIN Mataram, Indonesia
Prof. Dr. H. Masnun. M.Ag., WR 1 UIN Matarm, Indonesia
Dr. Faizah. Ma., WR 2 UIN Mataram, Indonesia
Dr. Hj. Nurul Yakin. M.Pd, WR 3 UIN Matarm, Indonesia

GENERAL CHAIRS

Dr. Hj. Lubna. M.Pd, Dekan FTK UIN Mataram, Indonesia
Dr. Abdul Qudus. MA, WD 1 FTK UIN Mataram, Indonesia
Dr. Syamsul Arifin. M.Ag, WD 2 FTK UIN Mataram, Indonesia
Dr. As'ari. M.Pd, WD 3 FTK UIN Mataram, Indonesia

ORGANIZING COMMITTEE

Samsul Irpan. S.Pd., M.Pd
Lalu Sucipto. S.Pd., M.Pd
Erpin Evendi. S.Pd., M.Pd
Dr. Fathurrahman Muktar. S.Ag., M.Ag.
H. Habib Husnial Pardi. S.Pd., MA
Dr. Saleh Ending. S.Ag., Ma
Dr. Nurhilaliati. S.Ag., MA
Parhaini Andriani. S.Pd., M.Pd.si
Kristayulita. S.Pd., M.si
Dahlia Hidayati. S.Ag. M.Fil.I
Nurhardiani. S.Pd., M.Pd
Sofyan Mahfudy. S.Pd., M.Pd
Yandika Nugraha. S.Si., M.P
Syaharuddin. S.Pd., M.Pd
Dr. H. Subki. S.Ag., M.Pd.I
M. Syawahid. S.Pd. M.Pd
Habibi Ratu Perwira Negara. S.Pd. M.Pd
Fadrik Adi Fakrudin. S.Pd., M.Pd
Mauliddin. S.Si., M.Si
Any Tsalasatul Fitriah. S.Pd., M.Pd
Susilahudin Putrawangsa. S.Pd., M.Sc
Herjan Haryadi. S.Pd. M.Pd
Ripa'i. S.Pd., M.Si
Taisir. S.Pd
Dr. H. Mukhsin Efendi. S.Ag., MA
Saimun. S.Ag., M.Psi
Alfira Mulya Astuti. S.Pd., M.Si
Kiki Riska Ayu Kurniawati. S.Pd. M.Pd
Mulhamah. S.Pd., M.Pd
Malik Ibrahim. S.Pd., M.Pd
Habib Ratu Perwira Negara. S.Pd., M.Pd
Syaidatussalihah. S.Pd., M.Si
Rina Mariani. S.Pd
Nurul Aini

PROGRAM COMMITTEE

Prof. Dr. Maman Djauhari

Prof. Toto Nusantara, M.Si

Prof. Suyono, M.Si

Prof. Dr. Yongwimon Lenbury

Prof. Dr. Muhaimin Ismoen

Prof. Dr. M.Arskal Salim GP, M.Ag.

Assoc. Prof. Dr. Mazlini Adnan

Dr. Abadi, M.Sc

Dr. Mashuri, M.Si

Dr. Hery Susanto, M.Si

Dr.rer.pol. Heri Kuswanto

Dr. Muhammad Zainul Majdi, M.A.

Dr. Abdussakir, M.Pd

Dr. Sri Harini, M.Si

Dr. Elly Susanti, M.Sc

Dr. Usman Pagalay, M.Si

Dr. Turmudi, Ph.D

Dr. Kusaeri, M.Pd

Dr. Muniri, M.Pd

Dr. Kadir, M.Pd

Dr. Nursalam, M.Pd

Dr. Risnawati, M.Pd

Dr. Nina Fitriyati, M.Kom

Dr. Elis Ratna Wulan, M.T

Dr. Mara Samin, M.Pd

Dr. Muhammad Sabirin, M.Si

Dr. Zubaidah Amir, M.Si

Dr. Ahmad Nizar Rangkuti, M.Pd

Dr. Hartatiana, M.Pd

Dr. M. Duskri, M.Kes.

Dr. Nana Sepriyanti, M.Si

Dr. Alkusaeri, M.Pd

FOREWORD

The 1st International Conference on Mathematics and Islam (ICMIs 2018) is an academic event held by UIN Mataram Indonesia and ADMAPETA (Asosiasi dosen matematika dan pendidikan/Tadris Matematika). This event was held on August 3rd-5th, 2018 in Mataram, Nusa Tenggara Barat, Indonesia. the theme of the conference is “Contextualization of Mathematics Through Islamic Values Integration”. The Organizing committee have successfully compiled articles written by scholars, researchers, experts and those who have keen interests in mathematics, applied mathematics, mathematics education, Integration of Mathematics and Islam. Mathematics as logical thinking methods and tools is used to help a person solve problems that occur in surrounding environment. Those happens because generally, education accommodating the complete form of human, a human who can maximize their potential for self-interest also for their community. Integration between Islamic values and Mathematics can help achieve its goal. Contextual value of Islam in Mathematics is a process of developing students in Mathematics skills through Islamic values. Besides as the basic design of learning, Islamic values can be proven perfectly through mathematical thinking and media learning Mathematics. Such as used study case that has Islamic values to teach Mathematics. The aim of the first International conference are building common frame of mind, the work scheme, and the standard format for Mathematics lecturer or Mathematics Education lecturer in PTKI and developing Islamic value based on Mathematics learning. The event is held because of the concept of education that organized by the government based on SISDIKNAS. SISDIKNAS is a learning method that developing students to understanding their material and to gaining the characteristics according to the national identity of Indonesia, based on religious values.

Nina Fitriyati

Universitas Islam Negeri Syarif Hidayatullah Jakarta, Indonesia

Ahmad Hanif Asyhar

Universitas Islam Negeri Sunan Ampel Surabaya, Indonesia

Elly Susanti

Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

Juhari

Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

Mohammad Nafie Jauhari

Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

Moh. Hafiyusholeh

Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia

CONTENTS

PAPERS

FULL PAPERS

On Trimmed Data Effect in Parameter Estimation of Some Population Growth Models <i>Windarto, Eridani and Utami Dyah Purwati</i>	5
Detection of Heat Conduction Disturbance in Cylindrical-Shaped Metal Chip using Kalman Filter and Ensemble Kalman Filter <i>Nina Fitriyati, Gina Isma Kusuma and Irma Fauziah</i>	9
Energy Saving Potential Prediction and Anomaly Detection in College Buildings <i>Nur Inayah, Madona Yunita Wijaya and Nina Fitriyati</i>	15
Modified Firefly Algorithm using Smallest Position Value for Job-Shop Scheduling Problems <i>Muhaza Liebenlito, Nur Inayah, Aisyah Nur Rahmah and Ario Widiatmoko</i>	23
Ill-Structured Mathematical Problems to Develop Creative Thinking Students <i>Abdillah, Ajeng Gelora Mastuti and Muhajir Abd. Rahman</i>	28
Ordinary Kriging Method using Isotropic Semivariogram Model for Estimating the Earthquake Strength in Bengkulu Province <i>Fachri Faisal, Pepi Novianti and Siska Yosmar</i>	34
Cognitive Styles and Mathematics Absorption Capacity in Islamic Junior High School <i>Nuralam</i>	41
Financial Crisis Model in Indonesia Based on Indonesia Composite Index (ICI) and Dollar (US) Exchange Rates to Rupiah Indicators <i>Sugiyanto, Isnandar Slamet, Etik Zukhronah, Sri Subanti and Winita Sulandari</i>	46
Biochemical Oxygen Demand Level Modeling in Surabaya River using Approach of Cokriging Method <i>Suliyanto</i>	52
Apriori Algorithm for Frequent Pattern Mining for Public Libraries in United States <i>Muhammad Muhajir, Ayundyah Kesumawati and Satibi Mulyadi</i>	60
Batik Classification using Texture Analysis and Multiclass Support Vector Machine <i>Wahyu Tri Puspitasari, Dian Candra Rini Novitasari and Wika Dianita Utami</i>	65
Diabetic Retinopathy: Identification and Classification using Different Kernel on Support Vector Machine <i>Ahmad Zoebad Foeady, Dian Candra Rini Novitasari and Ahmad Hanif Asyhar</i>	72
Modelling and Prediction of Rice Price in East Java using Approach to the Multiplicative Time Series Analysis <i>Sediono and Satya Purnama</i>	80
Development of Learning Tools Fractional Counting Operation Materials based on the Integration of the Fara'id Concept for Elementary School Students <i>Zubaidah Amir MZ, Risnawati and Ramon Muhandaz</i>	85

Geographically Weighted Polynomial Regression: Selection of the Optimal Bandwidth and the Optimal Polynomial Degrees and Its Application to Water Quality Index Modelling <i>Toha Saifudin, Fatmawati and Nur Chamidah</i>	93
Prediction Interval in Seasonal Autoregressive Integrated Moving Average (SARIMA) Model for Rainfall Forecasting and Drought <i>Vita Mami Nikmatillah, Dian Anggraeni and Alfian Futuhal Hadi</i>	101
Hybrid of the PMD Filter, the K-Means Clustering Method and the Level Set Method for Exudates Segmentation <i>Syaiful Anam, Zuraidah Fitriah and Nur Shofianah</i>	108
The Integration-interconnection Paradigm in Learning Mathematics through Development Research and Clinical Supervision <i>Khurul Wardati</i>	117
Child-friendly Media-based Lift the Flap Storybook: Study from a Mathematical Problem-solving Ability Perspective <i>Maskur, Pratiwi Pujiastuti and Kus Eddy Sartono</i>	123
Geographically Weighted Regression Model for Corn Production in Java Island <i>Yuliana Susanti, Hasih Pratiwi, Respatiwulan, Sri Sulistijowati Handajani and Etik Zukhronah</i>	131
Designing and Manufacturing Virtual Museum Applications "Museum Keris Nusantara" based on Virtual Reality (VR) <i>Yudho Yudhanto, Winita Sulandari, Lucia Dinta Pratiwi, Katherin Secondthania Novit and Mia Agustina</i>	136
The Development of Mathematics Bilingual Module with the Help of Realistic Mathematics Education in Grade VII Junior High School <i>Nuriska Makdiani, Wahidin, Ayu Tsurayya and Krisna Satrio Perbowo</i>	142
Modeling on Electricity Consumption's Average of Households Group in Surabaya with Nonparametric Approach based on Fourier Estimator <i>Eko Tjahjono, Sediono, M. Fariz Fadillah Mardianto and Ajeng Novy Lestari</i>	147
Ethnomathematics: The Exploration of Learning Geometry at Fort Rotterdam of Makassar <i>Sri Sulasteri, Fitriani Nur and Andi Kusumayanti</i>	151
The Increasing Students' Mathematical Creative Thinking Ability using Treffinger Model of Indonesian Lower Secondary Students <i>M. Duskri, Khairatul Ulya and Rauzatul Munawarah</i>	158
Development of Teaching Material "Mathematics Contribution to the Implementation of Sharia" in Mathematics in Islamic Treasure Course <i>Nurjanah and Laila Hayati</i>	162
Hitung Bini: Ethno-Mathematics in Banjarese Society <i>Sessi Rewetty Rivilla, Lathifaturrahmah and Yusran Fauzi</i>	169
Mosque as a Place to Improve Human Development Index <i>Agus Kurnia, Nurul Fitriyani and Robith Hudaya</i>	175
Actualization Islamic Values in Learning About Addition, Subtraction, and Multiplication of Integers with Approach of Realistic Mathematics Education to Develop Students Character <i>Muslimin, Ratu Ilma Indra Putri, Zulkardi and Nyimas Aisyah</i>	180

Assessing Students' Number Sense: What to be considered? <i>Susilahudin Putrawangsa, Erpin Evendi and Uswatun Hasanah</i>	188
Identification of Alzheimer's Disease in MRI Data using Discrete Wavelet Transform and Support Vector Machine <i>Putri Wulandari, Dian Candra Rini Novitasari and Ahmad Hanif Asyhar</i>	198
Detection of Financial Crisis in Indonesia based on Import and Yen Exchange Rate to Rupiah Indicators using Combined of Volatility and Markov Switching Models <i>Etik Zukhronah, Sugiyanto and Isna Ruwaidatul Azizah</i>	205
Function of Distractors in Mathematics Test Items on the Achievement Tests based on the Rasch Model <i>Syahrial and Haryanto</i>	210
The Partition Dimension of Bridge Graphs from Homogeneous Caterpillars and Cycle <i>Amrullah, Syahrul A., Harry S., M. Turmuzi and Anwar Y. S.</i>	217
Discrete Mathematics' Textbook Development based on Multiple Intelligences <i>Sunyoto Hadi Prajitno and Erlin Ladyawati</i>	222
On inclusive 1-Distance Vertex Irregularity Strength of Firecracker, Broom, and Banana Tree <i>Ikhsanul Halikin, Ade Rizky Savitri and Kristiana Wijaya</i>	228
On Distance Irregularity Strength of Lollipop, Centipede, and Tadpole Graphs <i>Kusbudiono, C.H. Pratiwi and Kristiana Wijaya</i>	233
Application of Mamdani Method on Fuzzy Logic to Decision Support of Traffic Lights Control System at a Crossing of Malang City <i>Risna Zulfa Musriroh, Wahyu H. Irawan and Evawati Alisah</i>	236
The Increasing Students' Critical Thinking Skills through Learning Cycle "5E" using Dice in Learning Probability <i>Zainal Abidin and Nurlisna</i>	242
The Analysis of Students' Difficulties in Solving PISA Mathematics Problems <i>Junaidah Wildani</i>	246
Analysis of Poverty Data in Bengkulu City by Small Area Estimation using Penalized Splines Regression <i>Idhia Sriliana, Etis Sunandi and Ulfasari Rafflesia</i>	253
Higher Order Thinking Skills of Mathematics Education Department Students of Hasyim Asy'ari University in Solving the Problem of Generator Function in Discrete Mathematics Lecture <i>Novia Dwi Rahmawati, Gunanto Amintoko and Siti Faizah</i>	260
Logistic Regression on the Data of Lecturer Performance Index on IAIN Purwokerto <i>Mutijah</i>	265
Modeling of Total Fertility Rate (TFR) in East Java Province using Mixed Semiparametric Regression Spline Truncated and Kernel Approach <i>Arip Ramadan, I Nyoman Budiantara and Ismaini Zain</i>	271
The Least-Squares Finite Element and Minimum Residual Method for Linear Hyperbolic Problems <i>Adin Lazuardy Firdiansyah, Nur Shofianah and Marjono</i>	278

Students' Learning Difficulty in Infinite Sequence and Series <i>Lisa and Khairani Idris</i>	284
Some Properties of Prime Submodules on Dedekind Module $Z[\sqrt{-1}]$ Over Itself <i>I Gede Adhitya Wisnu Wardhana, Ni Wayan Switrayni and Qurratul Aini</i>	290
Best Weighted Selection in Handling Error Heterogeneity Problem on Spatial Regression Model <i>Sri Sulistijowati Handajani, Cornelia Ardiana Savita, Hasih Pratiwi and Yuliana Susanti</i>	293
The Approximation of Nonlinear Function using Daubechies and Symlets Wavelets <i>Syamsul Bahri, Lailia Awalushaumi and Marliadi Susanto</i>	300
Variant of Two Real Parameters Chun-Kim's Method Free Second Derivative with Fourth-order Convergence <i>Rahmawati, Septia Utami and Wartono</i>	307
Elementary School Student's Multiple Intelligence in Mathematical Problem Solving <i>Hanim Faizah</i>	314
Air Pollution Prediction with Hotspot Variable based on Vector Autoregressive Model in Pekanbaru Region <i>Ari Pani Desvina, Arinal Haque, Riswan Efendi, Muspika Hendri, Mas'ud Zein and Sri Murhayati</i>	319
The Process of Intraconnection and Interconnection in Mathematical Problem Solving based on Stages of Polya <i>N. Tasni, T. Nusantara, E. Hidayanto, Sisworo, E. Susanti and Subanji</i>	328
Segmentation of Karhutla Hotspot Point of Indragiri Hilir Regency 2015 and 2016 Using Self Organizing Maps (SOMs) <i>Achmad Isya Al Fassa and Ayundyah Kesumawati</i>	336
Forecasting Rainfall at Surabaya using Vector Autoregressive (VAR) Kalman Filter Method <i>Yuniar Farida and Luluk Wulandari</i>	342
Regression for Trend-Seasonal Longitudinal Data Pattern: Linear and Fourier Series Estimator <i>M. Fariz Fadillah Mardianto, Sri Haryatmi Kartiko and Herni Utami</i>	350
Bi-Response Semiparametric Regression Model based on Spline Truncated for Estimating Computer based National Exam in West Nusa Tenggara <i>Lilik Hidayati, I Nyoman Budiantara and Nur Chamidah</i>	357
Source Problem Answered False in Analogical Reasoning: Why Students Do it? <i>Kristayulita, Toto Nusantara, Abdur Rahman As'ari and Cholis Sa'dijah</i>	362
Misconceptions of English Students on Education Statistic <i>Mutia</i>	369
Analysis of Learning Interest and Learning Outcome for Mathematics Subject with SCL Approach <i>Puput Wahyu Hidayat</i>	378
Support Vector Machine Multiclass using Polynomial Kernel for Osteoporosis Detection <i>Deasy Alfiah Adyanti, Dian Candra Rini Novitasari and Aris Fanani</i>	384
Implementation of ABC Model Integrated 4CS on Learning Math <i>Buhaerah, Muhammad Siri and Andi Aras</i>	391

Development of Mathematics Instructional Materials Integrated with Islamic Sciences <i>Risnawati, Zubaidah Amir and Depi Fitriani</i>	397
Implementation Self Organizing Map for Cluster Flood Disaster Risk <i>Indi Febriana Suhriani, Lalu Mutawalli, Baiq Rina Ari Widiarni and Chumairoh</i>	405
Profile of Learners Who Have High Early Ability in Algebra Subject with Problem Based Learning <i>Diana Tri Purnamasari, Riyadi and Sri Subanti</i>	410
Optimal Control of an HIV Model with Condom Education and Therapy <i>Marsudi, Noor Hidayat and Ratno Bagus Edy Wibowo</i>	415
Boundedness in Finite Dimensional n -Normed Spaces <i>Esih Sukaesih</i>	420
Identification of Mathematical Literacy Students Level 2, 3, 4 of Pisa Task <i>A. Nurutami, R. Riyadi and Sri Subanti</i>	423
Developing the Developable Surfaces in a Space to the Plane using Some Triangle Pieces <i>Kusno and Nur Hardiani</i>	427
The Ability of Mathematical Connections to Deaf Students in Completing Math Test <i>Samuel Igo Leton, Wahyudin and Darhim</i>	432
Undergraduate Students' Conceptual Understanding on Abstract Algebra <i>Risnanosanti and Yuriska Destania</i>	438
Categorizing Students' Mathematical Problem Posing: A Case on Counting <i>Marhayati, Siti Faridah, Intan Nisfulaila, Imam Rofiki, Muhammad Islahul Mukmin and Elly Susanti</i>	444
The Effects of Media based on Open Ended Problem to Enhanced Creative Thinking Ability <i>Sri Hastuti Noer and Pentatito Gunowibowo</i>	448
Students' Errors in Resolving Set Item Test based on Watson's Criteria <i>Nursalam, Andi Dian Angriani, Kamariah, Andi Kusumayanti and Nur Yuliany</i>	455
Brain Disease Classification using Different Wavelet Analysis for Support Vector Machine (SVM) <i>Muhammad Fahrur Rozi, Dian Candra Rini Novitasari and Putroue Keumala Intan</i>	460
Internalizing Religious Values into Ethno-Mathematics as an Effort to Strengthen Character Building: An Ethno-Mathematics Integration Study <i>Muniri and Galandaru Swalaganata</i>	466
Design of Application Thesis Detector for Student of Mathematics Education Department of IAIN Palopo <i>Muhammad Hajarul Aswad and Rosdiana</i>	474
The Effect of Evaluating Student Learning Outcomes on National Exam Scores with Final School Exams as an Intervening Variable <i>Alia Lestari and Riswan</i>	479
Effect of CORE (Connecting, Organizing, Reflecting, Extending) Learning Models on Student's Mathematical Connections Ability <i>Devya Permata Sari and Kadir</i>	487
Student's Preferences for Lecturers with Conjoint Analysis <i>Rini Warti, Ali Murtadlo, Risqa Amalia, Vinny Yuliani Sundara and K. Anwar</i>	491

Statistical Literacy: Students in Presenting Data <i>Moh. Hafiyusholeh, I Ketut Budayasa, Tatag Yuli Eko Siswono, Cholis Sya'dijah and Elly Susanti</i>	496
Boundedness of the Riesz Potential in Generalized Morrey Spaces <i>Hairur Rahman, M. I. Utoyo and Eridani</i>	501
An Investigation of Elementary Students' Motivation in Learning Two-dimensional Shapes through Game <i>Muhammad Islahul Mukmin, Suhendrianto, Imam Rofiki, Dimas Femy Sasongko and Marhayati</i>	506
The Investment of Character Building of Elementary School Students through Mathematical Learning with Experiential based on Game Strategy <i>Iesyah Rodliyah, Sari Saraswati and Nihayatus Sa'adah</i>	510
Analysis of The Elementary School Teacher's Need in The Implementation of HOTS (Higher Order Thinking Skills) based on Mathematics Learning <i>Anesa Surya, Sularmi, Siti Istiyati, Tri Wahyuningsih and Sriyanto</i>	517
Pedagogical Values: Revealing Mathematics Teachers' Belief and Action in Teaching <i>Kamirsyah Wahyu, Sri Subarinah, Sofyan Mahfudy and Dwi Ratnasari</i>	522
Students' Ability of Statistical Reasoning in Descriptive Statistics Problem Solving <i>Nila Kesumawati</i>	530
Numerical Solution of Sasando String Motion Model <i>Ari Kusumastuti, Muhammad Khudzaifah, Heni Widayani and Aminatus Zuhriah</i>	537
AUTHOR INDEX	543

Apriori Algorithm for Frequent Pattern Mining for Public Libraries in United States

Muhammad Muhajir, Ayundyah Kesumawati, Satibi Mulyadi

Departement of Statistics, Faculty of Mathematics and Natural Science, Islamic University of Indonesia

Keywords: Data Mining, Apriori, Frequent Pattern Mining, Map.

Abstract: This paper shows how the different approaches achieve the objective of frequent mining along with the complexities required to perform the job and also give the descriptive by map representation about the number of public library in United States. In addition, we demonstrate the use of Big ML tool for association rule mining using Apriori algorithm. There are three attributes of public libraries is used among other City, Location type, and State. The result shows that there are six most recommended rules with confidence value ≥ 0.8 that are, Rules {City includes Chicago} \Rightarrow {Location type=Branch library}; Rules {City includes Brooklyn} \Rightarrow {Location type=Branch library}; Rules {City includes Losangeles} \Rightarrow {Location type=Branch library}; Rules {City includes Baltimore} \Rightarrow {Location type=Branch library}; Rules {City includes Sandiego} \Rightarrow {Location type=Branch library} and Rules {City includes Miami} \Rightarrow {Location type=Branch library}. The six rules means that the most visited public libraries by population of legal service area over one million people is a branch library.

1 INTRODUCTION

One of service that could be accessed by the general public is public library, where its management is done by the librarian and professional library. There are some of the characteristics of public libraries among others: library funded by the community through taxes, the public can access library collection, library service provided to the public free of charge. The main objective of public libraries is prepared to meet the needs of individuals and group in education, provide information resources and services to the public (Rubin, 2010).

The development of information currently provides a huge impact for librarian. The librarian are required to follow every the development of information that was going on, so information about who gained may applied in management of libraries. Librarian is has a lot of digging pieces of data derived from human activity from various sources. The data has a very large and widely in terms of quantity, variatif and acceleration. The term massive data can be called as *big data* that changed the way human understanding the world that had a huge impact and will keep creating ripples through all aspect of human life (Nath, 2015)

The united states was one of the countries establish technology the big data in management of systems public libraries. However, there are the problems faced by public libraries there which is approximately 80 % out of a total of public libraries available data could only present serving 25,000 a person from year to year, while the rest would belong serve around 1,000,000 a person from year to year (ALA Library, 2014).

Increase in the information or data, we need to proper management that public library have its existence as providers information that updates and easily accessible. Hence, the application of the big data concept in public libraries should be introduced that data continues to grow library can be set systematically. Data mining is technology that is very useful for assist public library could find important information from the data the warehouse. One of the methods to find knowledge in a relational large database is association rules. (Agrawal et al. 1993).

Here we have discussed the mechanism for Big ML to use Apriori algorithm in Public Libraries United States. Due to some problems that mentioned before, the problems which will be discussed is to mapping the type of libraries that most visited in United States. Before do the mapping, the libraries

in United States will be clustered in order to ease the process of mapping. The expected benefit of writing this paper is to know the types of libraries that most visited in United States.

2 METHOD

2.1 Association Rule

Association rule mining is a technique data mining to find rules associative between a combination items. One of the stages in association analysis that attracts attention many researchers to produce the efficient algorithms is frequent pattern mining (Jiawei, and Micheline, 2006). Support is presentation combination the items in a database, where if have items X and items Y so support is the proportion of transactions in a database that are containing X and Y (Han, and Kamber, 2006).

Definition 1. The value of an item support calculated as (Srikant, 1996):

$$Support(X \Rightarrow Y) = P(X \cup Y).$$

Confidence is the size of the accuracy of a rule, the proportion of transactions in a database containing containing X and Y . Confidence can also measure the strength of the relationship between the items in association rule

Definition 2. The value confidence than two items are as follows (Srikant, 1996):

$$Confidence(X \Rightarrow Y) = P(Y/X) = \frac{P(X \cup Y)}{P(X)},$$

where $P(Y/X)$: conditional probability of occurrence of Y when X events occurred, $P(X \cup Y)$: probability of occurrence of X and Y simultaneously, $P(X)$: probability of occurrence X .

The lift ratio is a measure to analyze the strength of association rules formed. The value of lift ratio usually used as a determining whether the association rules valid or invalid.

Definition 3. To calculate the lift ratio, we used the formula as follows (Srikant, 1996):

$$Lift\ rasio(X \Rightarrow Y) = \frac{P(X \cup Y)}{P(X)P(Y)}$$

$$\begin{aligned} &= \frac{Confidence(X \Rightarrow Y)}{P(Y)} \\ &= \frac{Confidence(X \Rightarrow Y)}{Support(Y)}, \end{aligned}$$

Association rule mining can be broken down into the following two subproblems among others first, generating all itemsets that have support greater than, or equal to, user specified minimum support; second, generating all rules that have minimum confidence (Brin et al., 1997).

2.2 The Apriori Algorithm

Apriori is popular algorithm and much used for identification mining frequent itemsets. Apriori algorithm steps described in the flow diagram the following (Agarwal et al., 1993):




Figure 1: Flowchart of the Apriori Algorithm.

From Figure 1, the first step in association rule mining is to find frequent itemsets. K-itemset is defined as an itemset as k items, L_k as the set of frequent k -itemsets, and C_k as the set of candidate k -itemset. Pseudo-code following a priori algorithm used to generate all frequent itemsets and pruning frequent itemset unattractive in a transaction data base.

2.3 Geographic Information System

Geographic information system or information system based mapping and geography is management of information closely related to a

mapping system. GIS technology integrating the operation of a database that are used today, as the collection of data, as well as statistic analysis with visualization. There are two kinds of data in geographic information system i.e. the data geospasial or usually called spatial data and non spatial (attributes) data (Berry, 1993).

3 EXPERIMENTAL RESULT

3.1 Desriptive

First, we identification the data with descriptive analysis using by using mapping, we can see for the distribution number of public libraries as follows:




Figure 2: Distribution of Public Libraries in US

There are five kind of location type in Public Libraries is Bookmobile type, Books by mail type, Branch library, Central Library, and library system type. From the Figure 2, we can conclude that the spread of public libraries in the eastern US state of New York that region and surrounding areas.

3.2 Association Rules Apriori Algorithm

The result of the analysis using Big ML software can be shown in table 1. Based on this table, the minimum support for apriori algorithm is 0.0830 and the minimum confidence 0.2920. From these values, we can analyze the assosiation rules between three attributes of public libraries data.

Based on table 1, all of the confidence values is greater than 0.8 for six association pattern are formed i.e.

a. Rule{City includes Chicago} => {Location type=Branch library}

Rules with support value is 0.0029, confidence is 0.9625 and lift ratio is 3.4006. It's mean that 0.29% or about 77 Branch library of the whole location type happen in Chicago. Confidence value means that in case of Chicago is going to have Branch library with a confidence level of 96.25%. From the lift ratio value, we can see how strong the rule formed by the apriori pattern mining algorithms. The value of lift ratio is positive (≥ 0). If the lift ratio value equals to 1, then the rule {City includes Chicago} => {Location type=Branch library} often occurred together but independently.

Table 1: Result of a rules with Apriori Algorithm using BIG ML software.

Rules	City	Location Type	Support	Confidence	Lift Ratio
1	Chicago	Branch Library	0.0029	0.9625	3.4006
2	Brooklyn	Branch Library	0.0023	0.8857	3.1293
3	Losangeles	Branch Library	0.0021	0.9655	3.4113
4	Baltimore	Branch Library	0.0012	0.9167	3.2387
5	Sandiego	Branch Library	0.0013	0.8293	2.9299
6	Miami	Branch Library	0.0001	0.8000	2.8265

b. Rule{City includes Brooklyn} => {Location type=Branch library}

Rules with support value is 0.0023, confidence is 0.8857 and lift ratio is 3.1293. It's mean that 0.23% or about 61 Branch library of the whole location type happen in Brooklyn, Brooklyn is going to have Branch library with a confidence level of 88.571%, and lift ratio value is 3.1293. From the lift ratio value, we can see how strong the rule formed by the apriori pattern mining algorithms. The value of lift ratio is positive (≥ 0). If the lift ratio value equals to 1, then the rule, then the rule {City includes Brooklyn} => {Location type=Branch library} often occurred together but independently.

c. Rule{City includes Losangeles} => {Location type=Branch library}

Rules with support value is 0.0021, confidence is 0.9655 and lift ratio is 3.4113. It's mean that 0.21% or about 55 Branch library of the whole location type happen in Losangeles, Losangeles

is going to have Branch library with a confidence level of 96.55%, and lift ratio value is 3.4113. From the lift ratio value, we can see how strong the rule formed by the apriori pattern mining algorithms. The value of lift ratio is positive (≥ 0). If the lift ratio value equals to 1, then the rule {City includes Losangeles} \Rightarrow {Location type=Branch library} often occurred together but independently.

d. Rule{City includes Baltimore} \Rightarrow {Location type=Branch library}

Rules with support value is 0.0012, confidence is 0.9167 and lift ratio is 3.2387. It's mean that 0.12% or about 33 Branch library of the whole location type happen in Baltimore, Baltimore is going to have Branch library with a confidence level of 91.67%, and lift ratio value of 3.2387. From the lift ratio value, we can see how strong the rule formed by the apriori pattern mining algorithms. The value of lift ratio is positive (≥ 0). If the lift ratio value equals to 1, then the rule {City includes Baltimore} \Rightarrow {Location type=Branch library} often occurred together but independently.

e. Rule{City includes Sandiego} \Rightarrow {Location type=Branch library}

Rules with support value is 0.0013, confidence is 0.8293 and lift ratio is 2.9299. It's mean that 0.13% or about 33 Branch library of the whole location type happen in Sandiego, Sandiego is going to have Branch library with a confidence level of 91.67%, and lift ratio value of 3.2387. From the lift ratio value, we can see how strong the rule formed by the apriori pattern mining algorithms. The value of lift ratio is positive (≥ 0). If the lift ratio value equals to 1, then the rule {City includes Sandiego} \Rightarrow {Location type=Branch library} often occurred together but independently.

f. Rule{City includes Miami} \Rightarrow {Location type=Branch library}

Rules with support value is 0.0001, confidence is 0.80 and lift ratio is 2.8265. It's mean that 0.1% or about 27 Branch library of the whole location type happen in Miami, Miami is going to have Branch library with a confidence level of 91.67%, and lift ratio value of 3.2387. From the lift ratio value, we can see how strong the rule formed by the apriori pattern mining algorithms. The value of lift ratio is positive (≥ 0). If the lift ratio value equals to 1, then the rule {City includes Miami} \Rightarrow {Location type=Branch library} often occurred together but independently.

4 CONCLUSION

The results of association rules analysis can be concluded that the most recommended rules are Rules{City includes Chicago} \Rightarrow {Location type=Branch library}; Rules{City includes Brooklyn} \Rightarrow {Location type=Branch library}; Rules{City includes Losangeles} \Rightarrow {Location type=Branch library}; Rules{City includes Baltimore} \Rightarrow {Location type=Branch library}; Rules{City includes Sandiego} \Rightarrow {Location type=Branch library}; Rules{City includes Miami} \Rightarrow {Location type=Branch library}. From the six rules mentioned above, we known that the most visited library in these six states in US is Branch Library. It's because the location of the Branch Library usually near to people's houses. Therefore, to be visited by more people, the main branch library should be developed near to the people's house. Management of other types of libraries should refer to branch library management. It's shown by the result of the association rules analysis, which confirmed that the Branch Library is the library that most visited by population in that area.

REFERENCES

- ALA Library, 2014. *The Nation's Largest Public Libraries: Top 25 Rankings*. American Library Association.
- Agrawal, R., Imielinski, T., and Swami, A., 1993. Mining association rules between sets of items in large databases. *Proceedings of the 1993 ACM SIGMOD International Conference on Management of Data, SIGMOD '93*, New York, NY, USA, pp.207–216. ACM Press.
- Berry, J. K., 1993. *Beyond Mapping: Concepts, Algorithms and Issues in GIS*, Fort Collins, CO: GIS World Books.
- Brin, S., Motwani, R., and Silverstein., 1997. Beyond Market Baskets: Generalizing Association Rule to Correlations. *Proceedings ACM SIGMOD Conference on Management of Data (SIGMOD1997)*, pp. 265 – 276.
- Han, J. and Kamber, M., 2006. *Data Mining Concepts and Techniques Second Edition*. Morgan Kauffman: San Francisco, 2006.
- Jiawei, H., and Micheline, K., 2006. *Data Mining: Concepts and Techniques*. MORGAN KAUFMANN PUBLISHER, An Imprint of Elsevier.
- Nath, A. 2015. Big Data Security Issues and Challenges. *International Journal of Innovative Research In Advanve Enggineering*, 2(2), 15–20

- Rubin, R. E., 2010. *Foundations of library and Information Science (3rd ed)*. Neal-Schuman Publishers: New York.
- Srikant R, 1996. *Fast algorithms for mining association rules and sequential patterns*, University of Wisconsin.
- Zhao, Y., and Yonghua, C., 2014. *Data Mining Applications with R*. Academic Press: UK, Amsterdam, the Netherlands.

